

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptasxb1612

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 JAN 02 STN pricing information for 2008 now available
NEWS 3 JAN 16 CAS patent coverage enhanced to include exemplified prophetic substances
NEWS 4 JAN 28 USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS 5 JAN 28 MARPAT searching enhanced
NEWS 6 JAN 28 USGENE now provides USPTO sequence data within 3 days of publication
NEWS 7 JAN 28 TOXCENTER enhanced with reloaded MEDLINE segment
NEWS 8 JAN 28 MEDLINE and LMEDLINE reloaded with enhancements
NEWS 9 FEB 08 STN Express, Version 8.3, now available
NEWS 10 FEB 20 PCI now available as a replacement to DPCI
NEWS 11 FEB 25 IFIREF reloaded with enhancements
NEWS 12 FEB 25 IMSPRODUCT reloaded with enhancements
NEWS 13 FEB 29 WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS 14 MAR 31 IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS 15 MAR 31 CAS REGISTRY enhanced with additional experimental spectra
NEWS 16 MAR 31 CA/CAplus and CASREACT patent number format for U.S. applications updated
NEWS 17 MAR 31 LPCI now available as a replacement to LDPCI
NEWS 18 MAR 31 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 19 APR 04 STN AnaVist, Version 1, to be discontinued
NEWS 20 APR 15 WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS 21 APR 28 EMBASE Controlled Term thesaurus enhanced
NEWS 22 APR 28 IMSRESEARCH reloaded with enhancements
NEWS 23 MAY 30 INPAFAMDB now available on STN for patent family searching
NEWS 24 MAY 30 DGENE, PCTGEN, and USGENE enhanced with new homology sequence search option
NEWS 25 JUN 06 EPFULL enhanced with 260,000 English abstracts
NEWS 26 JUN 06 KOREAPAT updated with 41,000 documents
NEWS 27 JUN 13 USPATFULL and USPAT2 updated with 11-character patent numbers for U.S. applications
NEWS 28 JUN 19 CAS REGISTRY includes selected substances from web-based collections
NEWS 29 JUN 25 CA/CAplus and USPAT databases updated with IPC reclassification data
NEWS 30 JUN 30 AEROSPACE enhanced with more than 1 million U.S. patent records
NEWS 31 JUN 30 EMBASE, EMBAL, and LEMBASE updated with additional options to display authors and affiliated

NEWS 32 JUN 30 STN on the Web enhanced with new STN AnaVist
Assistant and BLAST plug-in
NEWS 33 JUN 30 STN AnaVist enhanced with database content from EPFULL

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 17:27:00 ON 22 JUL 2008

FILE 'REGISTRY' ENTERED AT 17:27:10 ON 22 JUL 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUL 2008 HIGHEST RN 1035004-20-6
DICTIONARY FILE UPDATES: 20 JUL 2008 HIGHEST RN 1035004-20-6

New GAS Information Use Policies. enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stndgen/stndoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10511736.str



chain nodes :

6 7 8 9 10 11 12 18 19 20 21 22 29 30

ring nodes :

1 2 3 4 5 13 14 15 16 17 23 24 25 26 27 28

chain bonds :

1-7 2-18 5-6 7-8 8-9 9-10 10-11 11-12 12-14 18-19 19-20 20-21 20-22

21-25 21-29 21-30

ring bonds :

1-2 1-5 2-3 3-4 4-5 13-14 13-17 14-15 15-16 16-17 23-24 23-28 24-25

25-26 26-27 27-28

exact/norm bonds :

1-2 1-5 2-3 3-4 4-5 5-6 13-14 13-17 14-15 15-16 16-17 20-22

exact bonds :

1-7 2-18 7-8 8-9 9-10 10-11 11-12 12-14 18-19 19-20 20-21 21-25 21-29

21-30

normalized bonds :

23-24 23-28 24-25 25-26 26-27 27-28

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS
19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:Atom 24:Atom 25:Atom 26:Atom
27:Atom 28:Atom 29:CLASS 30:CLASS

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11 fam full
 FULL SEARCH INITIATED 17:27:42 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 11 TO ITERATE


100.0% PROCESSED 11 ITERATIONS 3 ANSWERS
 SEARCH TIME: 00.00.01

L2 3 SEA FAM FUL L1

=> d 1-3

L2 ANSWER 1 OF 3 REGISTRY COPYRIGHT 2008 ACS on STN
 RN 849243-28-3 REGISTRY
 ED Entered STN: 26 Apr 2005
 CN 2-Pyrrolidinone, 5-[(1E,3S)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-1-[6-(2H-tetrazol-5-yl)hexyl]-, (5R)- (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 2-Pyrrolidinone, 5-[(1E,3S)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-1-[6-(1H-tetrazol-5-yl)hexyl]-, (5R)- (9CI)
 FS STEREOSEARCH
 MF C21 H27 F2 N5 O2
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, IMSRESEARCH

Absolute stereochemistry.
 Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 3 REGISTRY COPYRIGHT 2008 ACS on STN
RN 634193-54-7 REGISTRY
ED Entered STN: 05 Jan 2004
CN 2-Pyrrolidinone, 5-[(1E,3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-buten-1-yl]-1-[6-(2H-tetrazol-5-yl)hexyl]-, (5R)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 2-Pyrrolidinone, 5-[(1E,3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-1-[6-(1H-tetrazol-5-yl)hexyl]-, (5R)- (9CI)
FS STEREOSEARCH
MF C21 H27 F2 N5 O2
SR CA
LC STN Files: CA, CAPLUS, CASREACT, IMSDRUGNEWS, IMSRESEARCH, PROUSDDR, SYNTHLINE, USPATFULL

Absolute stereochemistry.
Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 3 REGISTRY COPYRIGHT 2008 ACS on STN
RN 634193-28-5 REGISTRY
ED Entered STN: 05 Jan 2004
CN 2-Pyrrolidinone, 5-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-buten-1-yl]-1-[6-(2H-tetrazol-5-yl)hexyl]-, (5R)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 2-Pyrrolidinone, 5-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-1-[6-(1H-tetrazol-5-yl)hexyl]-, (5R)- (9CI)
FS STEREOSEARCH
MF C21 H27 F2 N5 O2
SR CA
LC STN Files: CA, CAPLUS, IMSRESEARCH, USPATFULL

Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CACPLUS (1907 TO DATE)

=> FILE REGISTRY

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	77.95	78.16

FILE 'REGISTRY' ENTERED AT 17:29:56 ON 22 JUL 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUL 2008 HIGHEST RN 1035004-20-6
 DICTIONARY FILE UPDATES: 20 JUL 2008 HIGHEST RN 1035004-20-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> S 634193-28-5/RN

L3 1 634193-28-5/RN

=> SET NOTICE 1 DISPLAY

NOTICE SET TO 1 U.S. DOLLAR FOR DISPLAY COMMAND
 SET COMMAND COMPLETED

=> D L3 RN IN 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y
THE ESTIMATED COST FOR THIS REQUEST IS 1.28 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2008 ACS on STN
RN 634193-28-5 REGISTRY
IN 2-Pyrrolidinone, 5-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-buten-1-yl]-1-[6-(2H-tetrazol-5-yl)hexyl]-, (5R)-

=> SET NOTICE LOGIN DISPLAY

NOTICE SET TO OFF FOR DISPLAY COMMAND
SET COMMAND COMPLETED

=>

=> file caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
FULL ESTIMATED COST ENTRY SESSION
1.74 79.90

FILE 'CAPLUS' ENTERED AT 17:30:41 ON 22 JUL 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Jul 2008 VOL 149 ISS 4
FILE LAST UPDATED: 21 Jul 2008 (20080721/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s 13
L4 1 L3

=> d ibib abs

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2003:991395 CAPLUS
DOCUMENT NUMBER: 140:23287
TITLE: 2-Pyrrolidinone derivatives for use as EP4 receptor
agonists in the treatment of eye diseases such as
glaucoma
INVENTOR(S): Billot, Xavier; Young, Robert N.; Han, Yongxin
PATENT ASSIGNEE(S): Merck Frosst Canada & Co., Can.

SOURCE: PCT Int. Appl., 65 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003103772	A1	20031218	WO 2003-CA838	20030602
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2488001	A1	20031218	CA 2003-2488001	20030602
AU 2003233729	A1	20031222	AU 2003-233729	20030602
AU 2003233729	B2	20071004		
EP 1513589	A1	20050316	EP 2003-727099	20030602
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005537235	T	20051208	JP 2004-510890	20030602
US 20050239872	A1	20051027	US 2004-511736	20041018
PRIORITY APPLN. INFO.:			US 2002-386499P	P 20020606
			US 2003-460134P	P 20030403
			WO 2003-CA838	W 20030602

OTHER SOURCE(S): MARPAT 140:23287

AB This invention relates to 1,5-disubstituted 2-pyrrolidinone derivs. as potent selective agonists of the EP4 subtype of prostaglandin E2 receptors, topical formulations containing the same, and their use in the treatment of glaucoma and other conditions which are related to elevated intraocular pressure in the eye of the patient.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:Y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	3.87	83.77
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.80	-0.80

STN INTERNATIONAL LOGOFF AT 17:31:48 ON 22 JUL 2008

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptasxb1612

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 10:56:53 ON 23 JUL 2008

FILE 'REGISTRY' ENTERED AT 10:57:03 ON 23 JUL 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 21 JUL 2008 HIGHEST RN 1035138-92-1
DICTIONARY FILE UPDATES: 21 JUL 2008 HIGHEST RN 1035138-92-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stnqen/stndoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10511736 two.str




chain nodes :
 6 7 8 9 10 11 12 13 14 15 16 17 18 25 26
 ring nodes :
 1 2 3 4 5 19 20 21 22 23 24
 chain bonds :
 1-7 2-14 5-6 7-8 8-9 9-10 10-11 11-12 12-13 14-15 15-16 16-17 16-18
 17-21 17-25 17-26
 ring bonds :
 1-2 1-5 2-3 3-4 4-5 19-20 19-24 20-21 21-22 22-23 23-24
 exact/norm bonds :
 1-2 1-5 2-3 3-4 4-5 5-6 16-18
 exact bonds :
 1-7 2-14 7-8 8-9 9-10 10-11 11-12 12-13 14-15 15-16 16-17 17-21 17-25
 17-26
 normalized bonds :
 19-20 19-24 20-21 21-22 22-23 23-24

Match level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS
 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS
 18:CLASS 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:CLASS 26:CLASS

L1 STRUCTURE UPLOADED

=> d 11
 L1 HAS NO ANSWERS
 L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11 fam sam
 SAMPLE SEARCH INITIATED 10:57:41 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 1 TO ITERATE

100.0% PROCESSED 1 ITERATIONS 0 ANSWERS
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 1 TO 80
 PROJECTED ANSWERS: 0 TO 0

L2 0 SEA FAM SAM L1

=> s 11 fam full
 FULL SEARCH INITIATED 10:57:50 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 47 TO ITERATE


100.0% PROCESSED 47 ITERATIONS 5 ANSWERS
 SEARCH TIME: 00.00.01

L3 5 SEA FAM FUL L1

=> d 1-5

L3 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2008 ACS on STN
 RN 634193-31-0 REGISTRY
 ED Entered STN: 05 Jan 2004
 CN 1-Pyrrolidineheptanoic acid, 2-[(3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2S)- (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 1-Pyrrolidineheptanoic acid, 2-[(3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2S)- (9CI)
 FS STEREOSEARCH
 MF C21 H27 F2 N 04
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.
Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2008 ACS on STN
RN 634193-29-6 REGISTRY
ED Entered STN: 05 Jan 2004
CN 1-Pyrrolidineheptanoic acid, 2-[(1E,3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2R)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 1-Pyrrolidineheptanoic acid, 2-[(1E,3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2R)- (9CI)
FS STEREOSEARCH
MF C21 H27 F2 N 04
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.
Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2008 ACS on STN
RN 634193-17-2 REGISTRY
ED Entered STN: 05 Jan 2004
CN 1-Pyrrolidineheptanoic acid, 2-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2R)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 1-Pyrrolidineheptanoic acid, 2-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2R)- (9CI)
FS STEREOSEARCH
MF C21 H27 F2 N 04
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2008 ACS on STN

RN 82303-08-0 REGISTRY

ED Entered STN: 16 Nov 1984

CN 1-Pyrrolidineheptanoic acid, 2-[(1E,3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-but enyl]-5-oxo-, (2S)-rel- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1-Pyrrolidineheptanoic acid, 2-(4,4-difluoro-3-hydroxy-4-phenyl-1-but enyl)-5-oxo-, [R*,S*-(E)]-(±)-

OTHER NAMES:

CN 1-Pyrrolidineheptanoic acid, 2-(4,4-difluoro-3-hydroxy-4-phenyl-1-but enyl)-5-oxo-, [R*,S*-(E)]-


FS STEREOSEARCH

MF C21 H27 F2 N 04

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Relative stereochemistry.

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2008 ACS on STN

RN 82303-00-2 REGISTRY

ED Entered STN: 16 Nov 1984

CN 1-Pyrrolidineheptanoic acid, 2-[(1E,3R)-4,4-difluoro-3-hydroxy-4-phenyl-1-but enyl]-5-oxo-, (2R)-rel- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 1-Pyrrolidineheptanoic acid, 2-(4,4-difluoro-3-hydroxy-4-phenyl-1-but enyl)-5-oxo-, [R*,R*-(E)]-(±)-

OTHER NAMES:

CN 1-Pyrrolidineheptanoic acid, 2-(4,4-difluoro-3-hydroxy-4-phenyl-1-but enyl)-5-oxo-, [R*,R*-(E)]-

FS STEREOSEARCH
MF C21 H27 F2 N O4
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Relative stereochemistry.
Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d 3

L3 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2008 ACS on STN
RN 634193-17-2 REGISTRY
ED Entered STN: 05 Jan 2004
CN 1-Pyrrolidineheptanoic acid, 2-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2R)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 1-Pyrrolidineheptanoic acid, 2-[(1E)-4,4-difluoro-3-hydroxy-4-phenyl-1-butenyl]-5-oxo-, (2R)- (9CI)
FS STEREOSEARCH
MF C21 H27 F2 N O4
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
84.41	84.62

FILE 'CAPLUS' ENTERED AT 11:00:29 ON 23 JUL 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Jul 2008 VOL 149 ISS 4
FILE LAST UPDATED: 21 Jul 2008 (20080721/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s 13
L4 3 L3

=> d 1 ibib abs

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2003:991395 CAPLUS
DOCUMENT NUMBER: 140:23287
TITLE: 2-Pyrrolidinone derivatives for use as EP4 receptor
agonists in the treatment of eye diseases such as
glaucoma
INVENTOR(S): Billot, Xavier; Young, Robert N.; Han, Yongxin
PATENT ASSIGNEE(S): Merck Frosst Canada & Co., Can.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003103772	A1	20031218	WO 2003-CA838	20030602
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2488001	A1	20031218	CA 2003-2488001	20030602
AU 2003233729	A1	20031222	AU 2003-233729	20030602

AU 2003233729	B2	20071004		
EP 1513589	A1	20050316	EP 2003-727099	20030602
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005537235	T	20051208	JP 2004-510890	20030602
US 20050239872	A1	20051027	US 2004-511736	20041018
PRIORITY APPLN. INFO.:				
			US 2002-386499P	P 20020606
			US 2003-460134P	P 20030403
			WO 2003-CA838	W 20030602

OTHER SOURCE(S): MARPAT 140:23287

AB This invention relates to 1,5-disubstituted 2-pyrrolidinone derivs. as potent selective agonists of the EP4 subtype of prostaglandin E2 receptors, topical formulations containing the same, and their use in the treatment of glaucoma and other conditions which are related to elevated intraocular pressure in the eye of the patient.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


=> d 2 ibib abs

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2002:240727 CAPLUS
 DOCUMENT NUMBER: 136:279265
 TITLE: EP4 receptor agonists containing 8-azaprostaglandin derivatives as active ingredients
 INVENTOR(S): Maruyama, Tohru; Kobayashi, Kaoru; Maruyama, Takayuki
 PATENT ASSIGNEE(S): Ono Pharmaceutical Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 41 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002024647	A1	20020328	WO 2001-JP8176	20010920
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2001090250	A	20020402	AU 2001-90250	20010920
PRIORITY APPLN. INFO.:				
			JP 2000-286696	A 20000921
			WO 2001-JP8176	W 20010920

OTHER SOURCE(S): MARPAT 136:279265

GI





AB EP4 receptor agonists contain as the active ingredients 8-azaprostaglandin derivs. represented by the general formula I [R1 = OH, etc.; ring A = benzene ring, etc.; both R2 are H or F; the dotted line indicates a single or double bond; a proviso is given]. The compds. represented by the general formula I are useful as preventives and/or remedies for immune diseases, asthma, diseases in association with decrease in bone mass, pulmonary injury, pulmonary fibrosis, bronchitis, chronic obstructive respiratory diseases, hepatitis, nephritis, hypertension, myocardial ischemia, systemic inflammatory syndrome, sepsis, burn, systemic granuloma, ulcerative colitis, Crohn's disease, multiorgan failure, etc. In an in vitro test for EP4 agonist activity, $\pm(R,S)-7-(2-((1E)-3-hydroxy-4-phenyl-1-butenyl)-5-oxopyrrolidino)heptanoic acid$ showed an EC50 value of 0.5 μ M. Formulations are given.

REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 3 ibib abs

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1982:438745 CAPLUS
 DOCUMENT NUMBER: 97:38745
 ORIGINAL REFERENCE NO.: 97:6623a,6626a
 TITLE: 8-Aza-16,16-difluoroprostanoids
 INVENTOR(S): Scribner, Richard Merrill
 PATENT ASSIGNEE(S): du Pont de Nemours, E. I., and Co., USA
 SOURCE: Eur. Pat. Appl., 64 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 46082	A2	19820217	EP 1981-303641	19810810
EP 46082	A3	19820303		
EP 46082	B1	19850605		
R: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
US 4320136	A	19820316	US 1980-176784	19800811
CA 1161447	A1	19840131	CA 1981-383299	19810806
DK 8103522	A	19820212	DK 1981-3522	19810807
JP 57054166	A	19820331	JP 1981-124205	19810810
AT 13667	T	19850615	AT 1981-303641	19810810
PRIORITY APPLN. INFO.:			US 1980-176784	A 19800811
			EP 1981-303641	A 19810810
OTHER SOURCE(S):	CASREACT 97:38745; MARPAT 97:38745			
GI				



AB Racemic and optically active I [$Z = \text{CH}_2\text{CH}_2$, $\text{CH}:\text{CH}$, $\text{C}.\text{tplbnd}.\text{C}$; $R = \text{H}$, $\text{Cl}-12$ alkyl, cycloalkyl; $R_1 = \text{H}$, Me , Et ; $R_2 = \text{Me}$, CF_3 , (un)substituted phenyl; $n = 0-2$ if $R_2 = \text{aryl}$ and $3-8$ if $R_2 = \text{Me}$ or CF_3] and their salts were prepared by appropriate modification of conventional methods. Typical of compds. prepared was II, whose Me ester gave better short-term gastric protection than PGE1 and at 5 mg/kg gave 80% protection against histamine-induced bronchoconstriction at 2 h orally.

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y) /N/HOLD: Y

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SESSION

FULL ESTIMATED COST

17.85 102.47

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL

ENTRY SESSION

CA SUBSCRIBER PRICE

-2.40 -2.40

STN INTERNATIONAL LOGOFF AT 11:11:50 ON 23 JUL 2008